Santé et Services sociaux QUÉDEC 🏘 🏘



ADULT GENERAL SURGERY CONSULTATION

Note: Refer to the clinical alerts on the back of the form and favor, if available, the protocols of the Accueil Clinique before filling it out.

Patient's first and last name								
Health insurance number		Year	Month					
	Expiry							
Parent's first and last name								
Area code Phone number	Area code	Phone number (alt.)						
Address								
Postal code								

	Reason for consultation	Clini	cal priority sc	ale: A	: ≤ 3 da	ays	B: ≤ 10 days C:	: ≤ 28 days ∣	D: ≤ 3 months	E: ≤ 12 mor	nths
Digestives	Biliary colic (symptomatic gallstones) (one or several episodes)		D	а	Symptomat	natic umbilical/epigastric			Е		
	(Prerequisite: ultrasound report)				Hernia	Symptomat	atic groin hernia (inguinal/femoral)		D		
	Diverticulitis with frequent recurrences proved at CT x 1 (Prerequisite: CT Scan report)			D		Symptomat	atic ventral incisional			E	
	Anorectal Diseases (hemorrhoids, fissures, anal fistula, anal skin		в	Skin	Symptomat	tic pilonidal c	yst		Е		
			n rectal digital exam			S	☐ Lipoma ≥ 5	5 cm			Е
	tags, rectal prolapse, condylomas, rectal mass, etc.)	les	hout suspicic ion on rectal ital exam	E		For all breast lump, imaging abnormalities, bloody nipple discharge or any other suspect abnormalities (see legend on the back): Refer to your local breast reference center '					
	Rectorragia (rectal bleed				Breast		Investigation revealing breast carcinoma (Prerequisite: imagery and pathology reports)		в		
	FIT test positive		 Fill out form AH-7 Request for colonoscopy 						a		
	High suspicion of colorectal cancer based on imaging		he		abnormaliti	nvestigation revealing any other breast abnormalities Prerequisite: imagery and pathology reports)		с			
	Other reason for consultation or clinical priority modification (MANDATORY justification in the next section):						on			Clinical	priority
				-							
Suspected diagnosis and clinical information (mandatory) If prerequisite is ne											ed:
_	Available in the QHR										
-	Createl reader								Attached to	o this form	
	Special needs:	ification	and point of	sorvio	0			Stamp			
Referring physician identification and point of service Stamp Referring physician's name Licence no.											
Ar	ea code Phone no.	Ex	tension	Area code	e Faxn	10.		-			
								-			
Na	me of point of service										
s	ignature				Date	e (ye	ar, month, day)	1			
Fa	Family physician: Same as referring physician Patient with no family physician Registered referral (if required) Family physician's name If you would like a referral for a particular physician or point of service										an or
Na	me of point of service										

Legend

¹ Refer to your local breast referal center: Centre de référence d'investigation désigné (CRID), breast cancer investigation and reference desk, breast clinic or Accueil Clinique.

It is recommanded to refer in less than 10 days to the breast cancer investigation and reference center for breast cancer the following patients:

- < 30 years old with a nodule of 2 cm or which increases in volume
- ≥ 30 years old with a breast nodule painful or not
- > 50 years old with a discharge, a retraction or other suspect breast change
- · with suspect skin changes at the breast
- > 30 years old with an axillary mass of indeterminate cause

Taken from: Direction générale de cancérologie. (Octobre 2016).

Détection des cancers par le médecin de famille – Aide à la décision clinique. Recommandations du Comité national d'évolution de la pratique de première ligne.

Clinical alerts (non-exhaustive list)

Refer the patient to the Emergency-department

- Acute abdominal pain (appendicitis, cholecystitis, complicated diverticulitis with or without response to antibiotic, perforated ulcer etc.)
- Ischiorectal abscess
- Acute gastrointestinal bleeding
- Incarcerated hernia
- Bowel obstruction